



EC-Declaration of Conformity

The undersigned, representing the following manufacturer

Manufacturer

Bosch Security Systems Ltd

Address:

Unit 4, Fleet Business Park, Sandy Lane
Church Crookham, Hampshire
United Kingdom

Tel.: +44 1252 773700
Fax: +44 1252 773701

hereby declare that the following Bosch branded product(s)

Material No / CTN / description:

F.01U.141.246 / MIC400ALBCP13518N@ / PTZ, ALU, 18X NTSC, PRIV, BLACK, CTD
F.01U.141.247 / MIC400ALBCP13536N@ / PTZ, ALU, 36X NTSC, PRIV, BLACK, CTD
F.01U.141.248 / MIC400ALBCP13618N@ / PTZ, ALU, 18X NTSC, BLACK, CTD
F.01U.141.249 / MIC400ALBCP13636N@ / PTZ, ALU, 36X NTSC, BLACK, CTD
F.01U.141.250 / MIC400ALBCW13518P@ / PTZ, ALU, 18X PAL, PRIV, BLACK, CTD
F.01U.141.251 / MIC400ALBCW13536P@ / PTZ, ALU, 36X PAL, PRIV, BLACK, CTD
F.01U.141.252 / MIC400ALBCW13618P@ / PTZ, ALU, 18X PAL, BLACK, CTD
F.01U.141.253 / MIC400ALBCW13636P@ / PTZ, ALU, 36X PAL, BLACK, CTD
F.01U.141.254 / MIC400ALBUP13518N@ / PTZ, ALU, 18X NTSC, PRIV, BLACK, UPR
F.01U.141.255 / MIC400ALBUP13536N@ / PTZ, ALU, 36X NTSC, PRIV, BLACK, UPR
F.01U.141.256 / MIC400ALBUP13618N@ / PTZ, ALU, 18X NTSC, BLACK, UPR
F.01U.141.257 / MIC400ALBUP13636N@ / PTZ, ALU, 36X NTSC, BLACK, UPR
F.01U.141.258 / MIC400ALBUW13518P@ / PTZ, ALU, 18X PAL, PRIV, BLACK, UPR
F.01U.141.259 / MIC400ALBUW13536P@ / PTZ, ALU, 36X PAL, PRIV, BLACK, UPR
F.01U.141.260 / MIC400ALBUW13618P@ / PTZ, ALU, 18X PAL, BLACK, UPR
F.01U.141.261 / MIC400ALBUW13636P@ / PTZ, ALU, 36X PAL, BLACK, UPR
F.01U.141.262 / MIC400ALGCP13518N@ / PTZ, ALU, 18X NTSC, PRIV, GREY, CTD
F.01U.141.263 / MIC400ALGCP13536N@ / PTZ, ALU, 36X NTSC, PRIV, GREY, CTD
F.01U.141.264 / MIC400ALGCP13618N@ / PTZ, ALU, 18X NTSC, GREY, CTD
F.01U.141.265 / MIC400ALGCP13636N@ / PTZ, ALU, 36X NTSC, GREY, CTD
F.01U.141.266 / MIC400ALGCW13518P@ / PTZ, ALU, 18X PAL, PRIV, GREY, CTD
F.01U.141.267 / MIC400ALGCW13536P@ / PTZ, ALU, 36X PAL, PRIV, GREY, CTD
F.01U.141.268 / MIC400ALGCW13618P@ / PTZ, ALU, 18X PAL, GREY, CTD
F.01U.141.269 / MIC400ALGCW13636P@ / PTZ, ALU, 36X PAL, GREY, CTD
F.01U.141.270 / MIC400ALGUP13518N@ / PTZ, ALU, 18X NTSC, PRIV, GREY, UPR
F.01U.141.271 / MIC400ALGUP13536N@ / PTZ, ALU, 36X NTSC, PRIV, GREY, UPR
F.01U.141.272 / MIC400ALGUP13618N@ / PTZ, ALU, 18X NTSC, GREY, UPR
F.01U.141.273 / MIC400ALGUP13636N@ / PTZ, ALU, 36X NTSC, GREY, UPR
F.01U.141.274 / MIC400ALGUW13518P@ / PTZ, ALU, 18X PAL, PRIV, GREY, UPR
F.01U.141.275 / MIC400ALGUW13536P@ / PTZ, ALU, 36X PAL, PRIV, GREY, UPR
F.01U.141.276 / MIC400ALGUW13618P@ / PTZ, ALU, 18X PAL, GREY, UPR

Doc No: AC08-10-Q012, version: 02

Template ST-PR-Q6507 Declaration-of-Conformity Version 1.20 Date: 11-Aug-10


F.01U.141.277 / MIC400ALGUW13636P@ / PTZ, ALU, 36X PAL, GREY, UPR
F.01U.141.278 / MIC400ALWCP13518N@ / PTZ, ALU, 18X NTSC, PRIV, WHITE, CTD
F.01U.141.279 / MIC400ALWCP13536N@ / PTZ, ALU, 36X NTSC, PRIV, WHITE, CTD
F.01U.141.280 / MIC400ALWCP13618N@ / PTZ, ALU, 18X NTSC, WHITE, CTD
F.01U.141.281 / MIC400ALWCP13636N@ / PTZ, ALU, 36X NTSC, WHITE, CTD
F.01U.141.282 / MIC400ALWCW13518P@ / PTZ, ALU, 18X PAL, PRIV, WHITE, CTD
F.01U.141.283 / MIC400ALWCW13536P@ / PTZ, ALU, 36X PAL, PRIV, WHITE, CTD
F.01U.141.284 / MIC400ALWCW13618P@ / PTZ, ALU, 18X PAL, WHITE, CTD
F.01U.141.285 / MIC400ALWCW13636P@ / PTZ, ALU, 36X PAL, WHITE, CTD
F.01U.141.286 / MIC400ALWUP13518N@ / PTZ, ALU, 18X NTSC, PRIV, WHITE, UPR
F.01U.141.287 / MIC400ALWUP13536N@ / PTZ, ALU, 36X NTSC, PRIV, WHITE, UPR
F.01U.141.288 / MIC400ALWUP13618N@ / PTZ, ALU, 18X NTSC, WHITE, UPR
F.01U.141.289 / MIC400ALWUP13636N@ / PTZ, ALU, 36X NTSC, WHITE, UPR
F.01U.141.290 / MIC400ALWUW13518P@ / PTZ, ALU, 18X PAL, PRIV, WHITE, UPR
F.01U.141.291 / MIC400ALWUW13536P@ / PTZ, ALU, 36X PAL, PRIV, WHITE, UPR
F.01U.141.292 / MIC400ALWUW13618P@ / PTZ, ALU, 18X PAL, WHITE, UPR
F.01U.141.293 / MIC400ALWUW13636P@ / PTZ, ALU, 36X PAL, WHITE, UPR
F.01U.141.390 / MIC400IRBCP14518N@ / PTZ, INFRARED, 18X NTSC, PRIV, BLACK, CTD
F.01U.141.391 / MIC400IRBCP14536N@ / PTZ, INFRARED, 36X NTSC, PRIV, BLACK, CTD
F.01U.141.392 / MIC400IRBCP14618N@ / PTZ, INFRARED, 18X NTSC, BLACK, CTD
F.01U.141.393 / MIC400IRBCP14636N@ / PTZ, INFRARED, 36X NTSC, BLACK, CTD
F.01U.141.394 / MIC400IRBCW14518P@ / PTZ, INFRARED, 18X PAL, PRIV, BLACK, CTD
F.01U.141.395 / MIC400IRBCW14536P@ / PTZ, INFRARED, 36X PAL, PRIV, BLACK, CTD
F.01U.141.396 / MIC400IRBCW14618P@ / PTZ, INFRARED, 18X PAL, BLACK, CTD
F.01U.141.397 / MIC400IRBCW14636P@ / PTZ, INFRARED, 36X PAL, BLACK, CTD
F.01U.141.398 / MIC400IRBUP14518N@ / PTZ, INFRARED, 18X NTSC, PRIV, BLACK, UPR
F.01U.141.399 / MIC400IRBUP14536N@ / PTZ, INFRARED, 36X NTSC, PRIV, BLACK, UPR
F.01U.141.400 / MIC400IRBUP14618N@ / PTZ, INFRARED, 18X NTSC, BLACK, UPR
F.01U.141.401 / MIC400IRBUP14636N@ / PTZ, INFRARED, 36X NTSC, BLACK, UPR
F.01U.141.402 / MIC400IRBUW14518P@ / PTZ, INFRARED, 18X PAL, PRIV, BLACK, UPR
F.01U.141.403 / MIC400IRBUW14536P@ / PTZ, INFRARED, 36X PAL, PRIV, BLACK, UPR
F.01U.141.404 / MIC400IRBUW14618P@ / PTZ, INFRARED, 18X PAL, BLACK, UPR
F.01U.141.405 / MIC400IRBUW14636P@ / PTZ, INFRARED, 36X PAL, BLACK, UPR
F.01U.141.406 / MIC400IRGCP14518N@ / PTZ, INFRARED, 18X NTSC, PRIV, GREY, CTD
F.01U.141.407 / MIC400IRGCP14536N@ / PTZ, INFRARED, 36X NTSC, PRIV, GREY, CTD
F.01U.141.408 / MIC400IRGCP14618N@ / PTZ, INFRARED, 18X NTSC, GREY, CTD
F.01U.141.409 / MIC400IRGCP14636N@ / PTZ, INFRARED, 36X NTSC, GREY, CTD
F.01U.141.410 / MIC400IRGCW14518P@ / PTZ, INFRARED, 18X PAL, PRIV, GREY, CTD
F.01U.141.411 / MIC400IRGCW14536P@ / PTZ, INFRARED, 36X PAL, PRIV, GREY, CTD
F.01U.141.412 / MIC400IRGCW14618P@ / PTZ, INFRARED, 18X PAL, GREY, CTD
F.01U.141.413 / MIC400IRGCW14636P@ / PTZ, INFRARED, 36X PAL, GREY, CTD
F.01U.141.414 / MIC400IRGUP14518N@ / PTZ, INFRARED, 18X NTSC, PRIV, GREY, UPR
F.01U.141.415 / MIC400IRGUP14536N@ / PTZ, INFRARED, 36X NTSC, PRIV, GREY, UPR
F.01U.141.416 / MIC400IRGUP14618N@ / PTZ, INFRARED, 18X NTSC, GREY, UPR
F.01U.141.417 / MIC400IRGUP14636N@ / PTZ, INFRARED, 36X NTSC, GREY, UPR
F.01U.141.418 / MIC400IRGUW14518P@ / PTZ, INFRARED, 18X PAL, PRIV, GREY, UPR
F.01U.141.419 / MIC400IRGUW14536P@ / PTZ, INFRARED, 36X PAL, PRIV, GREY, UPR
F.01U.141.420 / MIC400IRGUW14618P@ / PTZ, INFRARED, 18X PAL, GREY, UPR
F.01U.141.421 / MIC400IRGUW14636P@ / PTZ, INFRARED, 36X PAL, GREY, UPR
F.01U.141.422 / MIC400IRWCP14518N@ / PTZ, INFRARED, 18X NTSC, PRIV, WHITE, CTD

Doc No: AC08-10-Q012, version: 02

Template ST-PB-06507 Declaration-of-Conformity, Version 1.20, Date: 11-Aug-10

Page 2

F.01U.141.423 / MIC400IRWCP14536N@ / PTZ, INFRARED, 36X NTSC, PRIV, WHITE, CTD
 F.01U.141.424 / MIC400IRWCP14618N@ / PTZ, INFRARED, 18X NTSC, WHITE, CTD
 F.01U.141.425 / MIC400IRWCP14636N@ / PTZ, INFRARED, 36X NTSC, WHITE, CTD
 F.01U.141.426 / MIC400IRWCW14518P@ / PTZ, INFRARED, 18X PAL, PRIV, WHITE, CTD
 F.01U.141.427 / MIC400IRWCW14536P@ / PTZ, INFRARED, 36X PAL, PRIV, WHITE, CTD
 F.01U.141.428 / MIC400IRWCW14618P@ / PTZ, INFRARED, 18X PAL, WHITE, CTD
 F.01U.141.429 / MIC400IRWCW14636P@ / PTZ, INFRARED, 36X PAL, WHITE, CTD
 F.01U.141.430 / MIC400IRWUP14518N@ / PTZ, INFRARED, 18X NTSC, PRIV, WHITE, UPR
 F.01U.141.431 / MIC400IRWUP14536N@ / PTZ, INFRARED, 36X NTSC, PRIV, WHITE, UPR
 F.01U.141.432 / MIC400IRWUP14618N@ / PTZ, INFRARED, 18X NTSC, WHITE, UPR
 F.01U.141.433 / MIC400IRWUP14636N@ / PTZ, INFRARED, 36X NTSC, WHITE, UPR
 F.01U.141.434 / MIC400IRWUW14518P@ / PTZ, INFRARED, 18X PAL, PRIV, WHITE, UPR
 F.01U.141.435 / MIC400IRWUW14536P@ / PTZ, INFRARED, 36X PAL, PRIV, WHITE, UPR
 F.01U.141.436 / MIC400IRWUW14618P@ / PTZ, INFRARED, 18X PAL, WHITE, UPR
 F.01U.141.437 / MIC400IRWUW14636P@ / PTZ, INFRARED, 36X PAL, WHITE, UPR
 F.01U.141.438 / MIC400PABUP14518N@ / PTZ, TWIN SPKR, 18X NTSC, PRIV, BLACK, UPR
 F.01U.141.439 / MIC400PABUP14536N@ / PTZ, TWIN SPKR, 36X NTSC, PRIV, BLACK, UPR
 F.01U.141.440 / MIC400PABUW14518P@ / PTZ, TWIN SPKR, 18X PAL, PRIV, BLACK, UPR
 F.01U.141.441 / MIC400PABUW14536P@ / PTZ, TWIN SPKR, 36X PAL, PRIV, BLACK, UPR
 F.01U.141.442 / MIC400PAGUP14518N@ / PTZ, TWIN SPKR, 18X NTSC, PRIV, GREY, UPR
 F.01U.141.443 / MIC400PAGUP14536N@ / PTZ, TWIN SPKR, 36X NTSC, PRIV, GREY, UPR
 F.01U.141.444 / MIC400PAGUW14518P@ / PTZ, TWIN SPKR, 18X PAL, PRIV, GREY, UPR
 F.01U.141.445 / MIC400PAGUW14536P@ / PTZ, TWIN SPKR, 36X PAL, PRIV, GREY, UPR
 F.01U.141.447 / MIC400STSCP13518N@ / PTZ, S-STEEL, 18X NTSC, PRIV, CTD
 F.01U.141.448 / MIC400STSCP13536N@ / PTZ, S-STEEL, 36X NTSC, PRIV, CTD
 F.01U.141.449 / MIC400STSCW13518P@ / PTZ, S-STEEL, 18X PAL, PRIV, CTD
 F.01U.141.450 / MIC400STSCW13536P@ / PTZ, S-STEEL, 36X PAL, PRIV CTD
 F.01U.141.451 / MIC400STSUP13518N@ / PTZ, S-STEEL, 18X NTSC, PRIV, UPR
 F.01U.141.452 / MIC400STSUP13536N@ / PTZ, S-STEEL, 36X NTSC, PRIV, UPR
 F.01U.141.453 / MIC400STSUW13518P@ / PTZ, S-STEEL, 18X PAL, PRIV, UPR
 F.01U.141.454 / MIC400STSUW13536P@ / PTZ, S-STEEL, 36X PAL, PRIV, UPR

is (are) in conformity with the regulations of the following marked EC-directive(s) and bear(s) the  mark accordingly

	reference number	title
<input checked="" type="checkbox"/>	2004/108/EC	EMC Directive (EMC)
<input checked="" type="checkbox"/>	2006/95/EC	Low-Voltage Directive (LVD)

The conformity of the product(s) with (above ticked) EC directives is provided by the compliance with the following standard(s):


Standard(s) / date

EN55022:2006 inc A1:2007
 EN61000-3-2:2006
 EN61000-3-3:1995 inc A1:2001 & A2:2005
 EN50130-4:1996 inc A1:1998 & A2:2003
 EN60950-1:2006 inc A11:2009

Year of affixing the CE-mark: 2010

Place, date:

Church Crookham,
August 2010



Vice President Business Unit
Printed first name + last name:
Ted van Groningen



R+D Manager Business Unit
Printed first name + last name:
Richard Markham

Document No.:

AC08-10-Q012

Version:

02

Annex to CE Declaration of Conformity

Document No.: AC08-10-Q012, version: 02

Number(s) of test report(s) /date

09J428ER / 30-10-2009

09J508IR / 20-01-2010

09J429ER / 30-11-2009

09T540IR / 20-01-2010

09T518CR / 20-01-2010

09T541CR / 20-01-2010

10J251CR / 23-06-2010

10J252CR / 23-06-2010

E331754-A2-CB-1 / 06-08-2010