



CSA INTERNATIONAL

Certificate of Compliance

Certificate: 1642124 (LR 113310)

Master Contract: 189936

Project: 1809023

Date Issued: 2006/08/14

Issued to: **Extreme CCTV Inc.**
3021 Underhill Ave
Burnaby, BC V5A 3C2
Canada
Attention: Eric Oikawa

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US'



Issued by: Rob Kohuch E.I.T.

Authorized by: Patricia Pasemko, Operations Manager

PRODUCTS

CLASS 2258 82 - PROCESS CONTROL EQUIPMENT - For Hazardous Locations -
Certified to US Standards

CLASS 2258 02 - PROCESS CONTROL EQUIPMENT - For Hazardous Locations

Class I, Divisions 1 & 2, Groups B, C and D; Class II, Divisions 1 & 2, Groups E, F and G;

Class III, Temperature Code T6.

Part A:

Infrared Camera: Model EX70.XX.XX.XX

The 'C' and 'US' indicators adjacent to the CSA Mark signify that the product has been evaluated to the applicable CSA and ANSI/UL Standards, for use in Canada and the U.S., respectively. This 'US' indicator includes products eligible to bear the 'NRTL' indicator. NRTL, i.e. National Recognized Testing Laboratory, is a designation granted by the U.S. Occupational Safety and Health Administration (OSHA) to laboratories which have been recognized to perform certification to U.S. Standards.



Certificate: 1642124 (LR 113310)

Master Contract: 189936

Project: 1809023

Date Issued: 2006/08/14

Rated 12 Vdc / 24 Vac, 8 Watts, enclosure CSA Type 4X,

Max. operation ambient 40°C, Temperature Code T6.

Part B:

Infrared Illuminator: Model EX72LED.XX.XX.XX

Rated 12 Vdc / 24 Vac, 15 Watts, enclosure CSA Type 4X,

Max. operation ambient 40°C, Temperature Code T6.

Part C:

Video Camera: Model EX72XXXX.XXXX

Rated 12 Vdc / 24 Vac, 3.9 W Max., enclosure CSA Type 4X,

Max. operation ambient 40°C, Temperature Code T6.

Notes:

1. The XX in the above Model Designation denotes internal options not affecting safety.
2. ALL Models are to be powered from Class 2 circuits.

APPLICABLE REQUIREMENTS

CSA Standards

C22.2 No. 0 - M1991 - General Requirements - Canadian Electrical Code Part II.

C22.2 No. 0.4-04 - Bonding of Electrical Equipment

C22.2 No. 25-M1966 - Enclosures for Use in Class II Groups E, F and G Hazardous Locations.

C22.2 No. 30-M1986 - Explosion-proof Enclosures for Use in Class I Hazardous Locations.

C22.2 No. 94-M1991 - Special Purpose Enclosures

C22.2 No. 142-M1987 - Process Control Equipment.

UL 508, Sixteenth Edition - Industrial Control Equipment

UL 698, Eleventh Edition - Industrial Control Equipment for Use in Hazardous (Classified) Locations.

UL 1203, Third Edition - Explosion-Proof and Dust-Ignition-Proof Electrical Equipment for Use in Hazardous



CSA INTERNATIONAL

Certificate: 1642124 (LR 113310)

Master Contract: 189936

Project: 1809023

Date Issued: 2006/08/14

(Classified) Locations