



EC-Declaration of Conformity

The undersigned, representing the following manufacturer

Manufacturer

Bosch Security Systems

Address:

Building SX-130, Glaslaan 2
NL-6216 LW Eindhoven
The Netherlands

Tel.: +31 40 27 77 385

Fax: +31 40 25 77 330

hereby declare that the following Bosch branded product(s)

EX65 Explosion Protected Cameras and Illuminators for use in potentially explosive environments:

Material No / CTN / description:

F01U135698	VEN-650V05-1A3	EX65 Explosion Protected Camera, Aluminum, Day/Night, 1/3inch CCD, 2X DSP, 5-50mm, PAL, 12-24VDC/AC
F01U135699	VEN-650V05-2A3	EX65 Explosion Protected Camera, Aluminum, Day/Night, 1/3inch CCD, 2X DSP, 5-50mm, NTSC, 12-24VDC/AC
F01U135702	VEN-650V05-1A3F	EX65 Explosion Protected Camera, Aluminum, Day/Night, 1/3inch CCD, 2X DSP, 5-50mm, PAL, Fiber, 12-24VDC/AC
F01U135703	VEN-650V05-2A3F	EX65 Explosion Protected Camera, Aluminum, Day/Night, 1/3inch CCD, 2X DSP, 5-50mm, NTSC, Fiber, 12-24VDC/AC
F01U135722	VEN-650V05-1S3	EX65 Explosion Protected Camera, Stainless Steel, Day/Night, 1/3inch CCD, 2X DSP, 5-50mm, PAL, 12-24VDC/AC
F01U135723	VEN-650V05-2S3	EX65 Explosion Protected Camera, Stainless Steel, Day/Night, 1/3inch CCD, 2X DSP, 5-50mm, NTSC, 12-24VDC/AC
F01U135728	VEN-650V05-1S3F	EX65 Explosion Protected Camera, Stainless Steel, Day/Night, 1/3inch CCD, 2X DSP, 5-50mm, PAL, Fiber, 12-24VDC/AC
F01U135729	VEN-650V05-2S3F	EX65 Explosion Protected Camera, Stainless Steel, Day/Night, 1/3inch CCD, 2X DSP, 5-50mm, NTSC, Fiber, 12-24VDC/AC
F01U135718	LED-658-AM	EX65 Explosion Protected Illuminator, 850nm, Aluminum, medium angle, 12-24VDC/AC
F01U135719	LED-658-AW	EX65 Explosion Protected Illuminator, 850nm, Aluminum, wide angle, 12-24VDC/AC
F01U135720	LED-659-AM	EX65 Explosion Protected Illuminator, 940nm, Aluminum, medium angle, 12-24VDC/AC
F01U135721	LED-659-AW	EX65 Explosion Protected Illuminator, 940nm, Aluminum, wide angle, 12-24VDC/AC
F01U135752	LED-658-SM	EX65 Explosion Protected Illuminator, 850nm, Stainless Steel, medium angle, 12-24VDC/AC
F01U135753	LED-658-SW	EX65 Explosion Protected Illuminator, 850nm, Stainless Steel, wide angle, 12-24VDC/AC
F01U135754	LED-659-SM	EX65 Explosion Protected Illuminator, 940nm, Stainless Steel, medium angle, 12-24VDC/AC
F01U135755	LED-659-SW	EX65 Explosion Protected Illuminator, 940nm, Stainless Steel, wide angle, 12-24VDC/AC

is (are) in conformity with the regulations of the following marked EC-directive(s)
and bear(s) the  mark accordingly


	reference number	title
<input checked="" type="checkbox"/>	2004/108/EC	EMC Directive (EMC)
<input checked="" type="checkbox"/>	2006/95/EC	Low-Voltage Directive (LVD)
<input checked="" type="checkbox"/>	94/9/EC	Electrical Apparatus for Potentially Explosive Atmospheres (ATEX), according to annex IV and VII

The conformity of the product(s) with (above ticked) EC directives is provided by the
compliance with the following standard(s):

Standard(s) / date

EN55022:2006, EN50130-4:1996, EN60065: 2002, EN 60079-0:2006, EN 60079-1:2007, EN 60079-31:2009

Under the following designations:

CE 0344  II 2 GD
Ex d IIB T6 Gb
Ex tb IIIC T85C Db IP67

DEMKO 10 ATEX 0948139X

Notified Body:

UL International Demko A/S,
NB Number 0539
P.O. Box 514
Lyskaer 8
DK-2730 Herlev, Denmark

Year of affixing the CE-mark: 2011

Place, date:

Burnaby BC, April 11, 2011



General Manager

Printed first name + last name:
Derek Service



R+D Manager Business Unit

Printed first name + last name:
Josh Horvath

Document No.:

EX65 CE DoC

Version:

1.0

Annex to CE Declaration of Conformity

Document No.: EX65 CE DoC, version: 1.0

Number(s) of test report(s) /date

03450 / Oct. 26 2009

E333679 / Jan. 07 2011

09CA48139 / Feb. 2011